

Dancers' Studio West Theatre Specifications

Audience:

75 loose stacking chairs on risers

Floor:

Usable playing space: 35' wide x 35' deep

Flooring Type: Marley-type dance flooring

Stage Type: Sprung Floor

Grid height 16'

Dimmers:

24 Colortran ENR @2.4kw

24 Dylor Litepack @2.4kw

Duplex outlets – each dimmer can accommodate 2 circuits

Main Power 100Amp/3 phase

Patch:

U-Ground patch

Lighting Board:

ETC Express 24/48

Lighting Booms:

6 - 11'6" high

Circuits:

93 U-Ground

Sound Board:

Yamaha Sound Board, Powered Mixer, EMX 5014C

4 – EV 100w speakers – hung in ceiling

2 – Sony single CD player

Telex Audiocom Communication Station w/ 2 beltpacks and 2 headsets

Misc. XLR Cable

Lighting Instruments:

6 - Strand LEKO 40 degrees

12 – 6x9 Ellipsoidal Spots (750 watt)

12 – 6x12 Ellipsoidal Spots (750 watt)

9 – 6x12 Kliegal (750 watt)

12 – 6” Altman 65Q Fresnels –w/ barndoors (750 watt)

16 – Par 56 MFL (500 watt)

10 – Source 4 50 degrees (575 watt)

10 – two –fers

Misc. Gobo holders, top hats and colour

Soft Goods:

Royal Blue Velvet Drape – retractable track

1.0 m. onstage of Stage Right wall

1.0 m. onstage of Stage Left wall

Up Stage of performance area (no back wall)

Dressing Rooms:

4 total – 3 accessible only by spiral staircase

1 performers' washroom

Backstage:

Accessed via upstage circular staircase

Contents: 5 Make-Up Stations, no bathroom, 3 separate rooms

Front of House:

Accessed via FOH dimmer room or offices

Contents: 8 Make-Up Stations, one dressing room (can be divided) and a single bathroom.

For more information contact:

Dancers' Studio West

admin@dswlive.ca

Phone (403) 244-0950

Fax (403) 398-7429